


# Leonardo-250    Leonardo-250V

/



Cardi s.r.l.  
via Leonardo da Vinci, 21, I-24030 Pontida (BG), Italy  
Tel. +39 035 795029  
Fax +39 035 796190  
www.cardi.biz




ADR  
TECH  
« - »  
/ : (495) 150-0822  
www.adr-t.ru  
E-mail: info@adr-t.ru

7/8

1	.....	3
2	.....	3
3	.....	3
4	.....	3
5	.....	4
6	.....	4
6.1	.....	4
6.2	.....	5
7	.....	6
8	.....	6
9	.....	7
10	.....	7
11	.....	7
12	.....	8

1

Leonardo-250 Leonardo-250V



2

3

	Leonardo-250	Leonardo-250V
		50 50 995
		45
MAX		702
	440 260 1000	440 260 1030
	16,3	19,6
		6- 8
MAX		250
		3500
		220

4

Cardi s.r.l.

- ✓ UNI EN ISO 12100 part 1 and part 2
- ✓ EN 12348
- ✓ machinery directive 2006 / 42 / EC


- ✓ CE,
- ✓ (

CE.

Ezio Cattaneo *E. Cattaneo*

5

- (1), ( . .6).
- (2)
- (3), ( . .9).
- (4) ( . .8).
- (5),
- (6),



6

██████████

██████████

6.1

Leonardo-250

( . . )

Leonardo-250V

██████████

██████████

..),

160

210

12.



6.2


Leonardo-250V



- 
- 
- 

Ø250 ;


3500 ;



0,8

0,8

7




8

Cardi.

Leonardo-250

Leonardo-250V



8.



Leonardo-250

Leonardo-250V

Ø60 ( ),



Leonardo-250V ( ) -



Leonardo-250

4-

8



9



- 
- 
- 
- 
- 
- 

2

10

1

11

Cardi.

( , )

Cardi,

12

1. 24

2.

3.

3.1. Cardi. Cardi

3.2. 6

3.3.

3.4.

4.

5.

5.1. .3.1.,

5.2.

5.3.

5.4.

5.5.

5.6.

5.7.

6.

7.

.1.