

VENTO-Hot




FORSTHOFF

Forsthoff GmbH
D-42719 Solingen – Freiheistr.24
Tel. +49-212-33-60-52
Fax +49-212-33-69-16
www.forsthoffwelding.com
E-mail: info@forsthoffwelding.com

**ADR
TECH**

« - »
/ : (495) 150-0822 , 7/8
www.adr-t.ru
E-mail: info@adr-t.ru



. 1


VENTO-Hot

VENTO-Hot

-
-
-
-

3

3.1



. 2

VENTO-Hot

(□)

(I)

32

32

2

(I)



3.2

4

I.

.3.4).

3.3

3.4

700°

5

1.

		Ø3	Ø4	°
PE-HD – ()		6-10	15-20	300-350
		10-16	25-35	
PE-LD – ()	*			260-320
PP – ()		6-10	15-20	280-330
		10-16	25-35	
PVC-U – ()		5-9	8-12	320-370
		8-12	15-25	
PVC-P – ()	*			300-370
		4-8	7-12	
PVC-C – ()		10-15	15-20	350-400
		15-20	20-25	
PMMA – ()**		5-8	12-16	320-370
		12-16	20-30	
PVDF – ()		10-15	15-20	350-400
		12-17	25-35	

*)

**)

4

4



FORSTHOFF, 230 3 000 (. F3064).

FORSTHOFF.

5

1.		4.	
2.	12	5.	
3.		5.1.	.3.1.,
3.1.	FORSTHOFF FORSTHOFF.	5.2.	
3.2.		5.3.	
3.3.		5.4.	
3.4.		5.5.	
		5.6.	
		5.7.	
		6.	
		7.	
			.1.