

VENTO-Quick




FORSTHOFF

Forsthoﬀ GmbH
D-42719 Solingen – Freiheistr.24
Tel. +49-212-33-60-52
Fax +49-212-33-69-16
www.forsthoﬀwelding.com
E-mail: info@forsthoﬀwelding.com

**ADR
TECH**

« - »
/ : (495) 150-0822 , 7/8
www.adr-t.ru
E-mail: info@adr-t.ru



.1


VENTO-Quick

VENTO-Quick

-
-
-
-

3

3.1



. 2

VENTO-Quick

(□),

(□)

32

32

2

(□)



3.2

4

I.

.3.4).

3.3

3.4

700°

5

1.

		Ø3	Ø4	°
PE-HD – ()		6-10	15-20	300-350
		10-16	25-35	
PE-LD – ()	*			260-320
PP – ()		6-10	15-20	280-330
		10-16	25-35	
PVC-U – ()		5-9	8-12	320-370
		8-12	15-25	
PVC-P – ()	*			300-370
		4-8	7-12	
PVC-C – ()		10-15	15-20	350-400
		15-20	20-25	
PMMA – ()**		5-8	12-16	320-370
		12-16	20-30	
PVDF – ()		10-15	15-20	350-400
		12-17	25-35	

*)

**)

4

4



FORSTHOFF, 230 1 500 (. F2007).

FORSTHOFF.

5

1. 12

2.

3.

3.1. FORSTHOFF
FORSTHOFF.

3.2.

3.3. 6

3.4.

4.

5.

5.1. .3.1.,

5.2.

5.3.

5.4.

5.5.

5.6.

5.7.

6.

7.

.1.